

DIVHOPE

FAVT Fondation d'Aide
aux Victimes du Terrorisme
Sous l'égide de la Fondation de France

DIVSTRESS



COGNIDIVE

 **Gueules Cassées**
Sourire Quand Même

Les Bienfaits de la Plongée sur la Santé Psychique



mathieu.coulanges@ap-hm.fr

Hôpitaux
Universitaires
de Marseille | **ap·hm**



Hôpitaux
de Provence
Groupement Hospitalier
et Universitaire des Bouches-du-Rhône

 **C2VN** Marseille
Center for CardioVascular
and Nutrition research

 **PHYMAREX**
The Institute of Physiology and Medicine
in Marine Environment and Extreme Environment



POMPIERS 13
DES BOUCHES-DU-RHÔNE




- ☑ La **génése** du projet
- ☑ Les bénéfices sur le **stress post traumatique** et sur la **résilience post cancer**
- ☑ Les perspectives sur la **tension au travail**





CALEDONIA
CONFÉRENCE

PLUS DE VIDÉOS ▶



La Santé Bleue - 2015



Hôpitaux
Universitaires
de Marseille | ap.
hm

Hôpitaux
de Provence
Groupe Hospitalier
et Universitaire des Bouches-du-Rhône

C2VN Marseille
Center for CardioVascular
and Nutrition research

PHYMAREX
The Institute of Physiology and Medicine
in Marine Environment and Extreme Environment

2015

J0

Divstress

Session 1
140 stagiaires - **Evaluation n°1**

Exclusions

Population appareillée
67 stagiaires



Plongée
n = 37

Multisport
n = 30



J7

Fin des Protocoles

Session 2
post stage
Evaluation n°2

Session 3
Suivi à 1 Mois post stage
Evaluation n°3



Pr Marion Trousselard

M1



Recreational Diving Practice for Stress Management: An Exploratory Trial

Frédéric Boneton¹, Guillaume Michoud^{2,3}, Mathieu Coulanges⁴, Nicolas Lalno⁴, Céline Ramdani⁵, Marc Borgnotta⁶, Patricia Broton⁷, Régis Gulou⁸, J. C. Rostain⁹ and Marion Troussalard^{2,3,4,10*}

¹ Laboratoire UMR - M22, Faculté de Médecine Nord, Aix-Marseille Université, Marseille, France, ² Department of Emergency, Ste Anne's Military Hospital, Toulon, France, ³ Ecole du Val de Gaillos, Paris, France, ⁴ Pôle Réanimation Urgence SAMU Hypertense, CHU Ste Marguerite, Marseille, France, ⁵ Département de Neurosciences et Contraintes Opérationnelles, Breligny sur Orge, France, ⁶ Institut National de Plongée Professionnelle, Marseille, France, ⁷ Union Nationale des Centres Sportifs de Plaisir Air, Paris, France, ⁸ Laboratory of Biochemistry, Thonon University Hospital, UMR M22, Aix-Marseille University Marseille, France, ⁹ AFSSMAG-APS/Secr. GR4352 UCL, UFR CHU, Metz, France, ¹⁰ Chaire de Mindfulness, Inter-États au Travail et Plan Économique, Grenoble Ecole de Management, Grenoble, France

Background: Within the components of Scuba diving there are similarities with meditation and mindfulness techniques by training divers to be in a state of open monitoring associated with slow and ample breathing. Perceived stress is known to be diminished during meditation practice. This study evaluates the benefits of scuba diving on perceived stress and mindful functioning.

Method: A recreational diving group (RDG; $n = 37$) was compared with a multisport control group (MCG; $n = 30$) on perceived stress, mood, well-being and mindfulness by answering auto-questionnaires before and after a 1-week long UCFA course. For the diving group, stability of the effects was evaluated 1 month later using similar auto-questionnaires.

Results: Perceived stress did not decrease after the course for the MCG [The divers showed a significant reduction on the perceived stress score ($p < 0.05$) with a sustainable effect ($p = 0.01$)]. An improvement in mood scale was observed in both groups. This was

OPEN ACCESS

Edited by:

Caterina Galante,
Hertie School Brussels School
(H2SO), Belgium

Reviewed by:

François Guérin,
University of Western Brittany, France
Giovanni Riccio,
Università degli Studi di Padova, Italy
Michael Thoenen,
University of Western Brittany, France

*Correspondence:




Marion Troussalard



Conclusions: The practice of a recreational sport improves the mood of subjects reporting the **thymic benefits** of a physical activity performed during a vacation period. The health benefits of recreational **diving** appear to be greater than the practice of other sports in **reducing stress** and improving **well-being**.

December 2017 | Recreational
Diving Practice for Stress
Management: An Exploratory Trial
Front. Psychol. 8:2192
doi: 10.3389/fpsyg.2017.02192

with them. Chronic stress can occur in response to everyday stressors that are ignored or poorly managed. The reaction of individuals to chronic stress is theorized in the general alarm syndrome (Selye, 1956) and allostasis theories (McEwen, 2004), contributing to high biological cost featuring the allostatic load (Chrousos, 2009). Excessive chronic stress, which is constant and persists over


N°1 – Réactiver le système **parasympathique** par la **ventilation** et l'**immersion**





N°2 – Favoriser la **pleine conscience** par un état de **méditation involontaire**





— Seuil clinique
 ●— Multisport
 ■- Plongée (PCC)

5 Ap-TOTAL PCL5
 AV-AP

AUCUN EIG

EUROPEAN JOURNAL OF PSYCHOTRAUMATOLOGY
 2022, VOL. 13, 2031590
<https://doi.org/10.1890/2008196.2022.2031590>



SHORT COMMUNICATION OPEN ACCESS

Comparing meditative scuba diving versus multisport activities to improve post-traumatic stress disorder symptoms: a pilot, randomized controlled clinical trial

Lionel Gilbert^{a,b,c}, Mathieu Coulanges^{d,e,f}, Jean-Charles Reynier^{d,e}, Frédéric Le Quiniat^{d,e}, Aymeric Molle^d, Frédéric Bénéton^d, Vincent Meurice^d, Jean Arthur Micoulaud^d and Marion Trousselard^d

^aPsycoMadd, Université Paris Saclay, France; ^bStress neurophysiology, French Armed Forces Biomedical Research Institute, Bretigny-sur-Orge, France; ^cHopital Paul Brousse, Aphp, Villejuif, France; ^dService de Médecine Hyperbare, Subaquatique Et Maritime, Assistance Publique Des Hôpitaux de Marseille, France; ^eHyperbaric medicine, Institut de Physiologie Et de Médecine En Milieu Maritime Et En Environnement Extrême, Phytomare, Marseille, France; ^fInserm 1263 - Iira 1266, Iram V-Adenosinergic System and Cardiovascular Disease, Aix Marseille Université, France; ^gDiving department, Bathysmed, Bouillane, Guadeloupe; ^hSleep medicine, Services Universitaires de Médecine du Sommeil, Sums, Chu de Bordeaux, Bordeaux, France; ⁱUsr Cnrs 3413 Sanyop, Chu Pellegrin, Université de Bordeaux, France

ABSTRACT
Background: Post-Traumatic Stress Disorder (PTSD) is a chronic and disabling disease that currently has no fully effective therapeutic solution. Complementary approaches, such as relaxation, sport, or meditation, could be therapeutic aids for symptom reduction. Scuba diving combines sport and mindfulness training and has been found to have a positive effect on chronic stress and PTSD.
Objectives: The first objective of this pilot study is to compare the effectiveness of diving associated with mindfulness exercises (the Bathysmed® protocol) with multisport activity in reducing PTSD symptoms. The secondary objective is to compare the impact of the Bathysmed® protocol on mindfulness functioning in the two groups of subjects suffering from PTSD.
Method: This proof-of-concept took the form of a controlled randomized clinical trial. The primary endpoint was the severity of PTSD symptoms, measured by the PCL-5 (PTSD Check List) scale. Half of the group were exposed to the Bathysmed® protocol (the experimental condition), and the other half to a non-specific multisport program.
Results: Bathysmed® protocol improved PCL-5 scores more than the multisport program but the result was not significant. The protocol was significantly better than the multisport activity in reducing intrusion symptoms of PTSD after one month. Globally, trait mindfulness scores improved up to one month after the course, but the result was not significant. Three months after the course, there was no difference between the two groups with regard to PCL-5 and Freiburg Mindfulness Inventory scores.
Conclusion: Our study demonstrates the value of the Bathysmed® protocol even though it suffers from a lack of power and could only obtain partial but encouraging results. Mindfulness must be practiced over the long term to achieve stable benefits. This probably explains why no differences persisted three months after the course. Further work is needed to confirm the initial results obtained with this pilot study.


ARTICLE HISTORY
 Received 29 April 2021
 Revised 6 January 2022
 Accepted 6 January 2022
KEYWORDS
 PTSD; scuba diving; mindfulness; terrorist attack
PALABRAS CLAVE
 TEPT; buceo; mindfulness; Ataque terrorista
关键词
 PTSD; 水肺潜水; 正念; 恐怖袭击
HIGHLIGHTS
 • Meditative scuba diving improved overall PTSD symptoms after one month more than multisport activity but not significantly.
 • PTSD intrusion symptoms were significantly improved after one month by the meditative diving.
 • The positive effects of meditative diving faded after 3 months.





Original Article

Can scuba diving offer therapeutic benefit to military veterans experiencing physical and psychological injuries as a result of combat? A service evaluation of Depthery UK

Alice Morgan , Harriet Sinclair, Alexander Tan, Ellen Thomas & Richard Castle

Pages 2832-2840 | Received 30 Apr 2017, Accepted 22 May 2018, Published online: 29 Jun 2018



Convention de Partenariat



L'association Plongée & Résilience, association de loi 1901 à but non lucratif, dont le siège social est situé au GHPSO Service d'Oncologie Médicale, Boulevard Laennec, 60100 CREIL, créée sous le numéro W604005170 représentée par Madame Elisabeth CAROLA, en sa qualité de Présidente, dûment habilitée à l'effet des présentes.

Ci-après dénommée « L'Association »

ET

Le YACHTING CLUB DE LA POINTE ROUGE, dont le siège social est situé Port de La Pointe Rouge, 13008 MARSEILLE, numéro d'affiliation FFESSM 33130063, représentée par Monsieur Christian Tommasini, en sa qualité de président du Club, dûment habilitée à l'effet des présentes,

Ci-après désignée « Le Club »

2020

Plongée et Résilience



Critères d'inclusion

- 20 Patients guéris + CACI
- Syndrome anxieux dépressif
 - Echelle Gad-7
 - Echelle PHQ-9

Série de 10 plongées sur 3 mois

Suivi à J0, M1 & M3



ON-FR-0457 - Février 2022 © Lilly - tous droits de reproduction réservés
LILLY France
24, boulevard Vital Boinod, CS 50004,
92551 Neuilly-sur-Seine Cedex. S.A.S au capital de 375 713 701 €
609 849 153 - R.C.S Nanterre Tél : 01 55 49 34 34 - www.lilly.fr
Information médicale : 0 800 00 36 36 ou 01 55 49 32 51

Sein'biose : Cancer et plongée

Ép. 3

Le parcours de soins d'une femme atteinte d'un cancer du sein est jalonné de rendez-vous médicaux. Mais la prise en charge d'un cancer ne s'arrête pas au traitement de la maladie seulement.

Lors de cette série de Podcasts Sein'biose, nous allons découvrir ensemble des soins de support que vous ne connaissiez probablement pas encore.

Pour l'épisode d'aujourd'hui, nous écoutons le Dr Elisabeth Carola, chef de pôle oncologie à l'hôpital de Creil et le Dr Mathieu Coulangue, médecin urgentiste et chef de service du centre hyperbar à APHM de Marseille, nous parler du bénéfice de la plongée dans le parcours de soin des femmes atteintes d'un cancer du sein.

Marseille : des psychiatres de l'AP-HM révèlent qu'un médecin sur deux est en burnout en France

Burnout Syndrome among Emergency Department Staff: Prevalence and Associated Factors
 Audrey Moukarzel¹, Pierre Michelet,¹ Anne-Claire Durand,² Mustapha Sebbane,³ Stéphane Bourgeois,⁴ Thibaut Markarian,¹ Catherine Bompard,¹ and Stéphanie Gentile^{2,5}



Pr YE Claessens



P Frolla

Illustration - Un médecin sur deux est en burnout selon deux psychiatres de l'AP-HM de Marseille. / © Maxime Jegat / MaxPPP


3

RÉSEAU
D'ENQUÊTES

LA THÉRAPIE DES PROFONDEURS



<http://phymarex.com/gallery/>



2^{ème} BRAS : Série de 10 sorties voiles
(en 6 mois)

Suivi à J0, M1 & M3





Quand l'Océan soigne l'Homme...



Hôpitaux | **ap.**
Universitaires | **hm**
de Marseille

mathieu.coulange@ap-hm.fr